A NOTE ON THE BRANCHES OF MON-KHMER

David Thomas

A recent study of selected Mon-Khmer languages from a lexico-statistical point of view¹ tends to indicate 9 main branches of Mon-Khmer, with approximately equal linguistic distance between all of them. There is a slight possibility of a northern vs. southern dichotomy, but it seems rather unlikely. Interpreted speculatively from the viewpoint of human geography, this could point to a mass dispersal from some central Mon-Khmer homeland some time during the 2nd millenium B.C.,² possibly as the result of some major catastrophe.

The divisions of Mon-Khmer as indicated by the above study are:

- A. Pearic Pear, Chong, Samre, Angrak (?), Saoch (?)
- B. Khmer
- C. Bahnaric:
 - North Bahnaric Bahnar, Rengao, Sedang, Halang, Jeh, Monom, Kayong, Hrê, Cua, Takua, Todrah
 - West Bahnaric Loven, Nyaheun, Oi, Laveh, Brao (?), Sok, Sapuan, Cheng, Suq (?)
 - South Bahnaric Stieng, Central Mnong, Southern Mnong, Eastern Mnong, Koho, Chrau
- D. Katuic Katu, Kantu, Phuang, Bru, Pacoh, Ta'oih, Ngeq, Kataang, Kuy, Lor, Leun, Ir, Tong, Souei, So, Alak, Kasseng (?)
- E. Khmuic Khmu', Mal, Mrabri, Yumbri, Khao, Tayhat, Puôc, Lamet (?)
- F. Monic Mon, Niakuol
- G. Palaung, Wa, Riang-lang, Danaw, Lawa, Kawa, Khamed (?), Mang (?)
- H. Khasi
- I. Việt-Mường Vietnamese, Mường, Mày, Arem, Tày Pong

As for the genetic affiliation of Vietnamese, the figures in the above study put Vietnamese well within Austroasiatic but slightly apart from Mon-Khmer. But Muong falls solidly within Mon-Khmer, and May, Arem, and Tay Pong appear to support the Muong evidence, so that Viêt-Muong would appear to be a brance of Mon-Khmer, with Vietnamese being slightly divergent because of heavy outside (mainly Chinese) influence.

Within Bahnaric the West Bahnaric division is not yet solidly established, but there are indications pointing in that direction. Gregerson and Smith³ have recently ques-

tioned the assignment of Bahnar to North Bahnaric because of its lack of register contrast, suggesting that it be classed with South Bahnaric. But the lexicostatistical and geographical features strongly suggest North Bahnaric. Smith is also proposing an Eastern North Bahnaric subdivision within North Bahnaric, comprising Cua and Kotua.

FOOTNOTES

- 1. David Thomas and Robert K. Headley, Jr., "More on Mon-Khmer Subgroupings", appearing in Lingua Vol.25, 1970.
- 2. According to Gleason's glottochronological chart (Workbook in Descriptive Linguistics, 1965, p.88) the calculated time lapse for 30% cognateness is about 2800 years, and for 20% about 3800 years. So with cognate values between Mon-Khmer branches falling generally between 20% and 30%, a date somewhere between 800 B.C. and 1800 B.C. would be indicated for the grand splitting up of the family.
- 3. See Kenneth Gregerson and Kenneth Smith, "The Development of Register in Todrah", in this volume.
- 4. Kenneth D. Smith, "Eastern North Bahnaric: Cua and Kotua", in this volume.